


WHERE REFLECTION

Meets Perfection.





Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, *consectetur*, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of "de Finibus Bonorum et Malorum" (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, "Lorem ipsum dolor sit amet..", comes from a line in section 1.10.32.

The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the 1914 translation by H. Rackham.



Specifications of Our Bookmatch Tiles

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, *consectetur*, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of "de Finibus Bonorum et Malorum" (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, "Lorem ipsum dolor sit amet..", comes from a line in section 1.10.32.

The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the 1914 translation by H. Rackham.



Impact
Resistant



Stain
Resistant



Scratch
Resistant



Fire
Resistant




Resistant To
UV Rays



Frost
Resistant



Liquid
Repellent




■ Unveiling the Versatility of Our Tile Sizes

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, *consectetur*, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of "de Finibus Bonorum et Malorum" (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, "Lorem ipsum dolor sit amet..", comes from a line in section 1.10.32.

■ 600x1200mm

The standard chunk of Lorem Ipsum used since the 1500s is reproduced below for those interested. Sections 1.10.32 and 1.10.33 from "de Finibus Bonorum et Malorum" by Cicero are also reproduced in their exact original form, accompanied by English versions from the 1914 translation by H. Rackham.



9mm

THICKNESS



Bookmatch Elegance,

Reflecting Your Style.

The Art of Tile Application

We understand that every space is different and therefore we have customized tiles of different sizes that are suitable to fit every space. Now, you don't have to compromise about your design style and can give your space the ambience that you always wanted with H tiles



Airport



Offices



Commercial
Buildings



Interiors



Wellness
Center



Shopping
Area



Bathroom
Area



Driveways




Dinner Café



Restaurant




Museums



Garden



2001




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2002



SIZE :
600X1200MM

THICHNESS :
9MM


FINISH :
GLOSSY

BOOKMATCH
COLLECTION



2001

2003




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2004



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2005




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2006



SIZE :
600X1200MM

THICHNESS :
9MM


FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2005



2007



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2008




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2009




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2010



SIZE :
600X1200MM

THICHNESS :
9MM


FINISH :
GLOSSY

BOOKMATCH
COLLECTION




2009

2011



2012



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION


SIZE :
600X1200MM

THICHNESS :
9MM



FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2013



2014



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION



2013



2015



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2016



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2017




SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

2018



SIZE :
600X1200MM

THICHNESS :
9MM



FINISH :
GLOSSY

BOOKMATCH
COLLECTION





2017

2019



2020



SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

SIZE :
600X1200MM

THICHNESS :
9MM

FINISH :
GLOSSY

BOOKMATCH
COLLECTION

Technical Specification

| Characteristics | Standard (ISO -1-3006 /EN1 4411) | Value of Tiles | Test Method |
|--------------------------------------|----------------------------------|----------------|----------------|
| Regulatory Properties | | | |
| Deviation in length & width | ±0.5% | ±0.2% | ISO - 10545-2 |
| Deviation in thickness | ±5.0% | ±5.0% | ISO - 10545-2 |
| Straightness in side | ±0.5% | ±0.2% | ISO - 10545-2 |
| Rectangularity | ±0.5% | ±0.2% | ISO - 10545-2 |
| Surface flatness | ±0.5% | ±0.2% | ISO - 10545-2 |
| Color diffrence | Unaltered | No Change | ISO - 10545-16 |
| Glossiness | As per Mfg. | > 90% | Glossmeter |
| Structural Properties | | | |
| Water absorption | <0.05% | <0.05% | ISO - 10545-3 |
| Apparent density | >2.00 g/cc | >2.10 g/cc | DIN 51082 |
| Massive Mechanical Properties | | | |
| Modulus of rupture | Min 35N/mm2 | Min 40N/mm2 | ISO - 10545-4 |
| Breaking strenght | Min.1300 N | Min.2000 N | ISO - 10545-4 |
| Impact resistance | As per Mfg. | Min. 0.55 | ISO - 10545-5 |
| Surface Mechanical Properties | | | |
| Surface abrasion resistance | As per Mfg. | Min. class 3 | ISO - 10545-7 |
| MOH's hardness | As per Mfg. | Min. class 4 | EN 101 |
| Thermo Hygrometric Properties | | | |
| Frost resistance | No Damage | No Damage | ISO - 10545-12 |
| Thermal shock resistance | No Damage | No Damage | ISO - 10545-09 |
| Moisture expansion | Nil | Nil | ISO - 10545-10 |
| Thermal expansion (COE) | Max.9.0x10 6 | Max.6.5x10 6 | ISO - 10545-08 |
| Crazing resistance | As per Mfg. | Min.10 cycle | ISO - 10545-11 |
| Chemical properties | | | |
| Chemical resistance | No Damage | No Damage | ISO - 10545-13 |
| Stain resistance | Resistant | Resistant | ISO- 10545-14 |
| Safety Properties | | | |
| Slip resistance | As per Mfg. | >0.40 | ISO - 10545-17 |
| Fire resistance | As per Mfg. | Fire Proof | N.A. |

Packing Details

| Product Size (CM) | Collection | Thickness | Sq.Mtr | Approx Weight | PCS/Boxes |
|-------------------|------------|-----------|--------|---------------|-----------|
| 60X120 | BOOKMATCH | 0.9CM | 1.44 | 28kg | 2 |

